

Release Notes

AvantGo® Pylon Application Server and Application Server Client

Version 5.2.3
Server Build: 289
November 2003



1. Current build

- 1.1 This document covers information about installing and syncing AvantGo Pylon Application Server, Version 5.2.3 and AvantGo Pylon Application Server Client, Version 5.2.3 that other published documentation does not cover.
- 1.2 This document describes:
AvantGo Pylon Application Server build 289

2. New features

- 2.1 **Support for Notes/Domino 6.5:** Version 6.5 of Lotus Notes and Domino Server are now supported.

3. Bug fixes

The following section describes bug fixes in Pylon Conduit and Pylon Pro, Version 5.2.3.

- 3.1 **PPC 2003 contact entry sync:** First and Last name fields are no longer switched when contact entry is synced.
- 3.2 **Parent and child records:** Child records modified on device are no longer duplicated after syncing when using an agent to switch forms.
- 3.3 **Contacts created with company name only:** Contacts created in Notes database now display on device in list view with company name, instead of “Unnamed.”
- 3.4 **Euro symbol in Palm expense database:** The Euro symbol is now displayed properly after syncing a Palm expense database, instead of displaying as “133.”

4. Known issues

The following section describes known issues in Pylon Conduit and Pylon Pro, Version 5.2.3.

- 4.1 **Tungsten E and T3 unsupported:** Tungsten E and Tungsten T3 devices are not currently supported.

5. Support for Tungsten W with Palm OS 5

- 5.1 The 5.2.3 release supports the Tungsten W device with Palm OS 5.
- 5.2 Configuring Tungsten W devices

Use the information below, in contention with the referenced sections of the Pylon 5.2 *Client Setup Guide*, in order to configure a Tungsten W device:

Under the “Configuring your Palm OS device” sub-heading within either:
- http://avantgo.com/doc/pylon/client_guide/Ch3SettingUpDevices7.html
- <http://www.avantgo.com/doc/pylon/ClientSetupGuide.pdf> - page 39

For Tungsten W devices, the user should only complete steps 7 thorough 15. After completing step 15, the user needs to initiate a Hotsync with the Pylon Application Server to install PylonSync on the mobile device. For this first sync, the user will always receive a login error message because PylonSync has not yet been configured. After the user has completed this first HotSync, user should

then complete steps 1 thru 4 in the “Configuring PylonSync on the device” sub-heading within either:

- http://avantgo.com/doc/pylon/client_guide/Ch3SettingUpDevices8.html
- <http://www.avantgo.com/doc/pylon/ClientSetupGuide.pdf> - page 46

After completing these steps, the Tungsten W user will be able to sync using PylonSync.

6. Support and documentation

- 6.1 Contact iAnywhere Technical Support at corp_support@ianywhere.com; services will be provided in accordance with your support agreement.
- 6.2 Access documentation from <http://www.avantgo.com/doc>.
- 6.3 Access product FAQs from http://www.avantgo.com/support/pylon_support/faq.

© 2003 iAnywhere Solutions, Inc. All rights reserved. All unpublished rights reserved. iAnywhere Solutions, Inc., AvantGo, and AvantGo logo are trademarks of iAnywhere Solutions, Incorporated. All other trademarks are the property of their respective owners.